

W2CBW003

Complete 802.11 + Bluetooth™ System in Package Solution designed specifically for mobile and embedded applications such as Smartphones, PDAs and MP3 Players.

Key Features:

- Small Form Factor. 12mm X 12mm x 1.4mm
- System-in-Package LGA Solution
- Certified Dual Mode Radio
- Ultra Low Power Consumption
- Optimized RF & Electrical Design
- RoHS Compliant
- Support for most popular Handheld Interfaces

Applications:

- MP3 Audio and MP4 Video Players
- WLAN Handheld Terminals
- Smartphones
- Personal Digital Assistants (PDAs)
- VOIP Phones and Terminals
- Industrial Products
- Handheld Terminals
- Digital Cameras and Video Recorders
- Other Portable Devices which require Wireless connectivity.

Certified Dual Mode Radio Subsystem:

- ISM Band 802.11b/g
- Full support for 802.11e (QoS)
- Support for 802.11i (Security)
- Bluetooth v2.0 + EDR™
- Fully Integrated Coexistence Solution

Interfaces:

- SDIO 1.1 Interface for 802.11 Wi-Fi™
- UART or USB Interface for Bluetooth™
- PCM Audio Interface for Bluetooth™
- Serial Peripheral Interface (SPI) for both radios for Integration, Test and Diagnostics.
- Programmable I/O Pins
 - PIO for 802.11b/g Applications
 - PIO for Bluetooth Applications
- 50Ω Antenna Launch for each Radio

General Description:

The W2CBW003 System-in-Package (SiP) is a complete multifunction 802.11 and BT v2.0 radio. Our radio solution is designed specifically for the developers of portable electronics such as MP3/MP4 Players, PDAs and Smartphones. The W2CBW003 features a small footprint, integrated coexistence solution and interfaces commonly required by handheld/portable devices. The W2CBW003 gives developers a quicker time to market, and lower cost to integrate Wi-Fi™ and Bluetooth™ functionality into their portable/handheld products.


Driver Support:

WinXP
WinVista (Available Q1, 2007)
WinCE
LINUX*

*Can be ported to other Operating Systems

Part Numbers:

- W2CBW003-1
 - 802.11b/g SDIO/UART Interface, Tape & Reel
- W2CBW003-2
 - 802.11b/g SDIO/USB Interface, Tape & Reel
- W2CBW003-DEV
 - W2CBW003 Development System



The W2CBW003 SiP delivers a complete, dual radio solution. All functionality, including the radio modem, interface control, diagnostics, timing, power regulation and coexistence are included in a certified compact ready to integrate package.

Dimensions/Package Type:

12mm x 12mm x 1.4mm, LGA

Data Rates:

802.11 b/g

- DSSS/CCK: 1, 2, 5.5, and 11Mb/s
- OFDM: 6, 9, 12, 18, 24, 36, 48, and 54Mb/s

Bluetooth

- V2.0: up to 1 Mb/s
- EDR: 2, 3Mb/s

Input Power:

- Supply Voltage 3.3V

Power Consumption:

	802.11	Bluetooth™	Dual Mode
TX	230 mA	50 mA	280 mA
RX	210 mA	36 mA	246 mA
Standby	40 mA	20 mA	60 mA
Sleep	2 mA	4 mA	6 mA

Temperature Range:

- Operating Temperature: -20°C to +75°C
- Storage Temperature: -40°C to +85°C

Security:

- WEP, TKIP, WPA and AES/CCMP per 802.11i

Transmit Power:

- 802.11 b Pout = +15 dBm Typ.
- 802.11g Pout = +15 dBm Typ.
- Bluetooth v2.0 Pout = +3 dBm Typ.
- Bluetooth EDR Pout = -1 dBm Typ.

Receiver Sensitivity:

802.11 b/g

- 54 Mb/s @ -67 dBm OFDM
- 6 Mb/s @ -81 dBm OFDM
- 11 Mb/s @ -82 dBm DSSS
- 1 Mb/s @ -84 dBm DSSS

Bluetooth

- 1 Mb/s @ -81 dBm GFSK
- 2 Mb/s @ -84 dBm $\pi/4$ DQPSK
- 3 Mb/s @ -75 dBm 8DPSK

Baseband Modulation:

802.11 b/g

- OFDM, CCK

Bluetooth™ v2.0

- GFSK

Bluetooth™ EDR:

- $\pi/4$ DQPSK, 8DPSK

Quality of Service:

- 802.11e EDCF

Your Wi2Wi Representative:

SYMMETRY
ELECTRONICS CORPORATION



SemiconductorStore.com

About Wi2Wi, Inc.

Wi2Wi Inc., formerly the OEM Products Division of Actiontec™, is a premier supplier of Modem, NIC, 802.11, Bluetooth and combination solutions to the world's largest PC and Peripheral OEMs. Operating since 1997, the company has delivered a series of industry firsts to OEM Customers. With the introduction of Wi2Wi's new System in Package (SiP) Products, Wi2Wi continues its industry leadership providing cost effective, high quality solutions to emerging and established markets.

To request more information about Wi2Wi please contact us at: info@wi2wi.com or visit us on the web at www.Wi2Wi.com